SonicWALL

SuperMassive 9000 Series

Product	SuperMassive 9200	SuperMassive 9400	SuperMassive 9600	
Part Numbers	01-SSC-3810 01-SSC-3813 TotalSecure 01-SSC-3811 High Availability Appliance	01-SSC-3800 01-SSC-3803 TotalSecure 01-SSC-3801 High Availability Appliance	01-SSC-3880 01-SSC-3883 TotalSecure 01-SSC-3881 High Availability Appliance	
Market Positioning and Specific Features	Designed for enterprise organization, the SuperMassive 9200 Next-Generation Firewall delivers scalability, reliability and deep security at multi-gigabit speeds. Includes: • Application Intelligence and Control • 24-Core Processor • Unrestricted Nodes • 2,000 VPN Client Licenses • 512 802.1q VLAN Interfaces • Object/Group-based Policy Mgmt • QoS/Bandwidth Management • Stateful A/P High Availability • Active/Active DPI • Server Load Balancing	Designed for enterprise organization, the SuperMassive 9400 Next-Generation Firewall delivers scalability, reliability and deep security at multi-gigabit speeds. Includes: • Application Intelligence and Control • 32-Core Processor • Unrestricted Nodes • 2,000 VPN Client Licenses • 512 802.1q VLAN Interfaces • Object/Group-based Policy Mgmt • QoS/Bandwidth Management • Stateful A/P High Availability • Active/Active DPI • Server Load Balancing	Designed for enterprise organization, the SuperMassive 9600 Next-Generation Firewall delivers scalability, reliability and deep security at multi-gigabit speeds. Includes: • Application Intelligence and Control • 32-Core Processor • Unrestricted Nodes • 2,000 VPN Client Licenses • 512 802.1q VLAN Interfaces • Object/Group-based Policy Mgmt • QoS/Bandwidth Management • Stateful A/P High Availability • Active/Active DPI • Server Load Balancing	
Bundled Services	 30 Days IPS, Anti-malware and Application Int/Control/Visualization 30 Days Analyzer Reporting Software 30 Days CFS Premium 30 Days 50-user Client/Server AV Suite 30 Days Deep Packet Inspection SSL 	 30 Days IPS, Anti-malware and Application Int/Control/Visualization 30 Days Analyzer Reporting Software 30 Days CFS Premium 30 Days 50-user Client/Server AV Suite 30 Days Deep Packet Inspection SSL 	 30 Days IPS, Anti-malware and Application Int/Control/Visualization 30 Days Analyzer Reporting Software 30 Days CFS Premium 30 Days 50-user Client/Server AV Suite 30 Days Deep Packet Inspection SSL 	
General Features Across all SM 9000 Appliances	 Deep Packet Inspection Firewall Clean VPN Dynamic Routing OSPF/F IPSec 3DES/AES Encryption 	on Route-based VPN Policy	P Server/DHCP Relay • Active/Active DPI y-based User • Bandwidth entication Management/QoS	
Specifications Nodes Cores Interfaces Firewall Inspection Throughput Application Inspection Throughput IPS Throughput Anti-malware Inspection Throughput IMIX Throughput VPN Performance Site-to-Site VPN Policies IPSec VPN Client Licenses SSL VPN Licenses Concurrent Connections (SPI/DPI) New Connections/Second Support Warranty	Unrestricted 24 4 SFP+ 10 GbE, 8 SFP+ GbE, 8 GbE, 2 USB, 1 GbE Mgmt, 1 Console 15 Gbps 5 Gbps 5 Gbps 3.5 Gbps 4.4 Gbps 5 Gbps 6,000 2,000 Bundled/4,000 Max 2 Bundled/50 Max 1,250,000 (Max)/1,000,000 (Max) 100,000 Must be purchased with appliance 1-Yr Limited Hardware	Unrestricted 32 4 SFP+ 10 GbE, 8 SFP+ GbE, 8 GbE, 2 USB, 1 GbE Mgmt, 1 Console 20 Gbps 8 Gbps 8 Gbps 4.5 Gbps 1.5 Gbps 10 Gbps 10,000 2,000 Bundled/6,000 Max 2 Bundled/50 Max 1,250,000 (Max)/1,000,000 (Max) 130,000 Must be purchased with appliance 1-Yr Limited Hardware	Unrestricted 32 4 SPP+ 10 GbE, 8 SPP+ GbE, 8 GbE, 2 USB, 1 GbE Mgmt, 1 Console 20 Gbps 9.7 Gbps 9.7 Gbps 5 Gbps 11.5 Gbps 11.5 Gbps 10,000 2,000 Bundled/10,000 Max 2 Bundled/50 Max 1, 500,000 (Max)/1,250,000 (Max) 130,000 Must be purchased with appliance 1-Yr Limited Hardware	
General Upgrade Options Across all SM 9000 Appliances	 Intrusion Prevention, Anti-malware and Application Intelligence, Control and Visualization Comprehensive Ga Deep Packet Inspec Client/Server Anti-N 	etion SSL • Secure Virtual Assist	 Analyzer Reporting Software Scrutinizer Global VPN Client Mobile Connect SSL VPN iOS/Android Gold Support 24x7 	
Key Selling Points	Breakthrough multi-core Next-Generation Firewall performance Ultra high-speed multi-layer threat protection Next-generation protection with Application Intelligence, Control	availability protection	h • Deployment scalability and flexibility • Continually updatable platform	

		Security Services for SuperMassive	e 9000 Series Solutions
Product		Part Numbers	Description
Comprehensive Gateway Security Suite	Common Common Common Common Common Common Common Common Common Common Common Common Common Co	For SM 9200 (2 Years/3 Years) 01-SSC-4173/01-SSC-4174 For SM 9400 (2 Years/3 Years) 01-SSC-4137/01-SSC-4138 For SM 9600 (2 Years/3 Years) 01-SSC-4101/01-SSC-4102 Note: TotalSecure solutions ship with one year of CGSS included	SonicWALL Comprehensive Gateway Security Suite (CGSS) combines enterprise security, productivity and support in a single solution. Available on SuperMassive Series appliances, it is the perfect solution for turning your customers' SonicWALLs into total security and productivity platforms. The Comprehensive Gateway Security Suite is available in one, two and three-year subscriptions that include the following: Intrusion Prevention, Anti-Malware and Application Control Content Filtering Service Premium Edition Gold Support 24x7
Intrusion Prevention, Anti-Malware and Application Control		For SM 9200 (2 Years/3 Years) 01-SSC-4203/01-SSC-4204 For SM 9400 (2 Years/3 Years) 01-SSC-4167/01-SSC-4168 For SM 9600 (2 Years/3 Years) 01-SSC-4131/01-SSC-4132	Available on SonicWALL SuperMassive 9000 Series appliances, SonicWALL Intrusion Prevention, Anti-Malware and Application Control integrates gateway anti-virus, anti-spyware and intrusion prevention to deliver intelligent, real-time network security protection against a comprehensive array of dynamic threats including viruses, spyware, worms, Trojans and software vulnerabilities such as buffer overflows, as well as peer-to-peer and instant messenger applications, backdoor exploits, and other malicious code.
Enforced Client Anti- Virus and Anti-Spyware		5 users (1 Yr) McAfee 01-SSC-2743 10 users (1 Yr) McAfee 01-SSC-2740 25 users (1 Yr) McAfee 01-SSC-2745 50 users (1 Yr) McAfee 01-SSC-2741 100 users (1 Yr) McAfee 01-SSC-2742 Discounted two- and three-year clients available	SonicWALL Enforced Client Anti-Virus and Anti-Spyware provides comprehensive protection with little administrative overhead. Anti-virus and anti-spyware policies are automatically enforced network-wide whenever new threats appear. Comprehensive virus and spyware protection using a single integrated client Automated enforcement of virus and spyware protection policies Automated deployments of anti-virus and anti-spyware definition and software updates Full featured email attachment filtering
Secure Virtual Assist		Up to 1 Technician 01-SSC-5967 Up to 5 Technicians 01-SSC-5974 Up to 10 Technicians 01-SSC-5971 Up to 25 Technicians 01-SSC-5972	SonicWALL Secure Virtual Assist is a remote support tool that enables a technician to assume control of a customer's PC or laptop for the purpose of providing remote technical assistance. With the customer's permission, the technician can gain instant access to a computer using a Web browser, making it easy to diagnose and fix a problem remotely without the need for a pre-installed "fat" client.
Content Filtering Service Premium Business Edition		For SM 9200 (2 Years/3 Years) 01-SSC-4185/01-SSC-4186 For SM 9400 (2 Years/3 Years) 01-SSC-4149/01-SSC-4150 For SM 9600 (2 Years/3 Years) 01-SSC-4113/01-SSC-4114	SonicWALL Content Filtering Service Premium Edition enhances protection and productivity for businesses and schools by employing an innovative rating architecture utilizing a dynamic database of URLs, IPs and domains to block over 50 categories of objectionable Web content. An easy-to-use management interface provides network administrators with greater control to transparently enforce acceptable use policies.
Analyzer Note: Also available as a Virtual Appliance		For SM 9000 Series 01-SSC-3382	SonicWALL Analyzer is an easy-to-use web-based application traffic analytics and reporting tool that provides real-time and historical insight into the health, performance and security of the network. Analyzer supports SonicWALL firewalls, backup/recovery appliances, and secure remote access devices while leveraging application traffic analytics for security event reports.
Global Management System Note: Also available as a Virtual Appliance		5-node License 01-SSC-7680 10-node License 01-SSC-3363 25-node License 01-SSC-3311	The SonicWALL Global Management System (GMSTM) provides organizations, distributed enterprises and service providers with a flexible, powerful and intuitive solution to centrally manage and rapidly deploy SonicWALL firewall, anti-spam, backup and recovery, and secure remote access solutions. SonicWALL GMS also provides centralized real-time monitoring, and comprehensive policy and compliance reporting.
Gold Support 24x7		Gold Support 24x7 SKUs by product Discounted two- and three-year contracts available	Gold Support 24x7 provides the advanced support features enterprise organizations need to keep their networks running reliably and securely. With Gold Support 24x7, you have around-the-clock access to seasoned support engineers and the latest firmware features plus Advance Exchange hardware replacement, all of which combine to protect and maximize your Dell SonicWALL investment. Includes: Direct access to a team of seasoned Senior Support Engineers Annual subscription to software and firmware updates and upgrades Advance Exchange hardware replacement in the event of failure Annual subscription to SonicWALL Service Bulletins and access to electronic support tools

NSA Series

_		1 = -/						
Product	NSA 5600	NSA E6500	NSA 6600	NSA E8500				
Part Numbers	01-SSC-3830 01-SSC-3833 TotalSecure	01-SSC-7004 01-SSC-7028 TotalSecure	01-SSC-3820 01-SSC-3823 TotalSecure	01-SSC-8953 01-SSC-8867 High Availability Appliance				
Market Positioning and Specific Features	The Dell SonicWALL NSA 5600 is ideal for distributed, branch office and corporate environments with enterprise-class features and uncompromising performance. Includes: • Multi-WAN Support • ISP Failover and WAN Load Balancing • Single Sign-On • Route-based VPN • 256 802.1q VLAN Interfaces • Object/Group-based Policy Mgmt • QoS/Bandwidth Management • Stateful A/P High Availability • Active/Active DPI	Engineered to meet the needs of the expanding network by providing a high performance, scalable, multi-function threat prevention appliance. Includes: • Multi-WAN Support • ISP Failover and WAN Load Balancing • Single Sign-On • Route-based VPN • 256 802.1q VLAN Interfaces • Object/Group-based Policy Mgmt • Qos/Bandwidth Management • Stateful A/P High Availability • Active/Active DPI	Secure your emerging large organization with the Dell SonicWALL NSA 6600 Next-Generation Firewall featuring enterprise-class features and uncompromising performance. Includes: • Multi-WAN Support • ISP Failover and WAN Load Balancing • Single Sign-On • Route-based VPN • 256 802.1q VLAN Interfaces • Object/Group-based Policy Mgmt • QoS/Bandwidth Management • Stateful A/P High Availability • Active/Active DPI	The SonicWALL E-Class NSA E8500 is a Next-Generation Firewall delivering robust Application Intelligence and Control for real-time visualization and awareness. Includes: • Application Intelligence and Control • 16-Core Processor • Unrestricted Nodes • 2,000 VPN Client Licenses • 512 802.1q VLAN Interfaces • Object/Group-based Policy Mgmt • Qos/Bandwidth Management • Stateful A/P High Availability • Active/Active DPI • Server Load Balancing				
Bundled Services	 30 Days GAV, Anti-Spyware, IPS and Application Int/Control/Visualization 30 Days Analyzer Reporting Software 30 Days CFS Premium 30 Days 25-user Client/Server AV Suite 30 Days Deep Packet Inspection SSL 	 30 Days GAV, Anti-Spyware, IPS and Application Int/Control/Visualization 30 Days Analyzer Reporting Software 30 Days CFS Premium 30 Days 25-user Client/Server AV Suite 30 Days Deep Packet Inspection SSL 	 30 Days GAV, Anti-Spyware, IPS and Application Int/Control/Visualization 30 Days Analyzer Reporting Software 30 Days CFS Premium 30 Days 50-user Client/Server AV Suite 30 Days Deep Packet Inspection SSL 	 30 Days GAV, Anti-Spyware, IPS and Application Int/Control/Visualization 30 Days Analyzer Reporting Software 30 Days CFS Premium 30 Days 50-user Client/Server AV Suite 30 Days Deep Packet Inspection SSL 				
General Features Across all NSA Appliances	· · · · · · · · · · · · · · · · · · ·	,	and Video over IP -based VPN - Policy-based User Authentication	PRelay • Active/Active DPI • Bandwidth • Management/QoS				
Specifications Nodes Interfaces Stateful Firewall Performance GAV Performance IPS Performance Full DPI Performance VPN Performance Site-to-Site VPN Tunnels Global VPN Client Licenses Virtual Assist Technicians Concurrent Connections New Connections/Second Support Warranty	Unrestricted 12 GbE, 4 1GBE (SFP), 2 10GbE (SFP+), 2 USB, 1 Console 9 Gbps 1.3 Gbps 3.0 Gbps 1.6 Gbps 4.5 Gbps (3DES/AES) 4,000 2,000 Bundled/4,000 Max 1 Bundled/10 Max 750,000 (Max) 60,000 Must be purchased with appliance 1-Yr Limited Hardware	Unrestricted 8 GbE, 1GbE HA Interface, 2 USB, 1 Console 5.0 Gbps 1.69 Gbps 2.3 Gbps 1.59 Gbps 2.7 Gbps (3DES/AES) 6.000 2.000 Bundled/6,000 Max 1 Bundled/25 Max 1,000,000 (Max) 20,000 Must be purchased with appliance 1-Yr Limited Hardware	Unrestricted 12 GbE, 4 1GBE (SFP), 2 10GbE (SFP+), 2 USB, 1 Console 12 Gbps 3 Gbps 4.5 Gbps 3 Gbps 5.0 Gbps (3DES/AES) 6,000 2,000 Bundled/6,000 Max 1 Bundled/25 Max 1,000,000 (Max) 90,000 Must be purchased with appliance 1-Yr Limited Hardware	Unrestricted 4 GbE, 4 1GBE (SFP)1 GbE HA Interface, 2 USB, 1 Console 8.0 Gbps 2.25 Gbps 3.7 Gbps 2.2 Gbps 4.0 Gbps (3DES/AES) 10,000 2,000 Bundled/10,000 Max 1 Bundled/25 Max 1,500,000 (Max) 80,000 Must be purchased with appliance 1-Yr Limited Hardware				
General Upgrade Options Across all NSA Appliances	 Gateway Anti-Virus, Anti-Spyware, Intrusion Prevention Service and Application Intelligence, Control and Visualization 	 Comprehensive Gateway Security Suite Comprehensive Anti-Spam Service Deep Packet Inspection SSL 		anagement System Reporting Software er Mobile Connect SSL VPN iOS/Android Global VPN Client 24x7 Support				
Key Selling Points	Breakthrough multi-core Next-Generation Firewall performance Ultra high-speed multi-layer threat protection Next-generation protection with Application Intelligence, Control and Visualization Breakthrough multi-core Next-Generation Firewall performance Unsurpassed business continuity and high availability protection Continually updatable platform Extensible and modular architecture							

		Security Services for NSA Se	eries Solutions
Product		Part Numbers	Description
Comprehensive Gateway Security Suite	General Entering Agency Control Agency Contr	For NSA 5600 (2 Years/3 Years) 01-SSC-4236(01-SSC-4236 For NSA E6500 (2 Years/3 Years) 01-SSC-9228/01-SSC-9235 For NSA 6600 (2 Years/3 Years) 01-SSC-4211/01-SSC-4212 For NSA E8500 (2 Years/3 Years) 01-SSC-8951/01-SSC-8952 Note: TotalSecure solutions ship with one year of CGSS included	SonicWALL Comprehensive Gateway Security Suite (CGSS) combines E-Class security, productivity and support in a single solution. Available on all E-Class NSA Series appliances, it is the perfect solution for turning your customers' SonicWALLs into total security and productivity platforms. The Comprehensive Gateway Security Suite is available in one, two and three-year subscriptions that include the following: - Gateway Anti-Virus, Anti-Spyware and Intrusion Prevention Service and Application Intelligence/Control - Content Filtering Service Premium Edition - E-Class Support 24x7
Gold/E-Class Support 24x7		Gold/E-Class Support 24x7 For NSA 5600 (2 Years/3 Years) 01-SSC-4285/01-SSC-4286 For NSA E6500 (2 Years/3 Years) 01-SSC-9228/01-SSC-9235 For NSA 6600 (2 Years/3 Years) 01-SSC-4279/01-SSC-4280 For NSA E8500 (2 Years/3 Years) 01-SSC-8951/01-SSC-8952 Note: TotalSecure solutions ship with one year of CGSS included	For customers who need continued protection through ongoing firmware updates and advanced technical support, SonicWALL Gold and E-Class Support 24x7 deliver the support features and quality of service that organizations require to keep their networks running smoothly and efficiently. Includes: • Direct access to a team of highly-trained Senior Support Engineers • Annual subscription to software and firmware updates and upgrades • Advance Exchange hardware replacement in the event of failure • Annual subscription to SonicWALL Service Bulletins and access to electronic support tools
Gateway Anti-Virus, Anti- Spyware, Intrusion Prevention Service and Application Intelligence, Control and Visualization		For NSA 5600 (2 Years/3 Years) 01-SSC-4241/01-SSC-4242 For NSA E6500 (2 Years/3 Years) 01-SSC-6138/01-SSC-6154 For NSA 6600 (2 Years/3 Years) 01-SSC-4217/01-SSC-4218 For NSA E8500 (2 Years/3 Years) 01-SSC-8941/01-SSC-8942 Note: Gateway Anti-Virus is included in CGSS and TotalSecure	Available on SonicWALL E-Class NSA Series appliances, SonicWALL Gateway Anti-Virus, Anti-Spyware, Intrusion Prevention Service and Application Intelligence, Control and Visualization integrates gateway anti-virus, anti-spyware and intrusion prevention to deliver intelligent, real-time network security protection against a comprehensive array of dynamic threats including viruses, spyware, worms, Trojans and software vulnerabilities such as buffer overflows, as well as peer-to-peer and instant messenger applications, backdoor exploits, and other malicious code.
Enforced Client Anti- Virus and Anti-Spyware		5 users (1 Yr) McAfee 01-SSC-2743 10 users (1 Yr) McAfee 01-SSC-2740 25 users (1 Yr) McAfee 01-SSC-2745 50 users (1 Yr) McAfee 01-SSC-2741 100 users (1 Yr) McAfee 01-SSC-2742 Discounted two- and three-year clients available	SonicWALL Enforced Client Anti-Virus and Anti-Spyware provides comprehensive protection with little administrative overhead. Anti-virus and anti-spyware policies are automatically enforced network-wide whenever new threats appear. • Comprehensive virus and spyware protection using a single integrated client • Automated enforcement of virus and spyware protection policies • Automated deployments of anti-virus and anti-spyware definition and software updates • Full featured email attachment filtering
Comprehensive Anti- Spam Service Note: Recommended for up to 250 users.	e me	For NSA 5600 (2 Years/3 Years) 01-SSC-9010/01-SSC-9011 For NSA E6500 (2 Years/3 Years) 01-SSC-9013/01-SSC-9014 For NSA 6600 (2 Years/3 Years) 01-SSC-4229/01-SSC-4230 For NSA E8500 (2 Years/3 Years) 01-SSC-9019/01-SSC-9020	SonicWALL Comprehensive Anti-Spam Service adds powerful enterprise-class protection that can immediately improve network performance by eliminating spam, phishing and viruses from entering your network. With just one mouse click, you can enable advanced cloud-based inbound SMTP protection based on the same technology as in SonicWALL's award-winning line of Email Security software and appliances. Effective enough to be your primary anti-spam solution, or use in front of any existing anti-spam product as a first touch to reduce bandwidth consumption and improve security.
Secure Virtual Assist		Up to 1 Technician 01-SSC-5967 Up to 5 Technicians 01-SSC-5974 Up to 10 Technicians 01-SSC-5971 Up to 25 Technicians 01-SSC-5972	SonicWALL Secure Virtual Assist is a remote support tool that enables a technician to assume control of a customer's PC or laptop for the purpose of providing remote technical assistance. With the customer's permission, the technician can gain instant access to a computer using a Web browser, making it easy to diagnose and fix a problem remotely without the need for a pre-installed "fat" client.
Content Filtering Service Premium Edition		For NSA 5600 (2 Years/3 Years) 01-SSC-4247/01-SSC-4248 For NSA 6600 (2 Years/3 Years) 01-SSC-3337/01-SSC-3344 For NSA 6600 (2 Years/3 Years) 01-SSC-4223/01-SSC-4224 For NSA E8510 (2 Years/3 Years) 01-SSC-9269/01-SSC-9270	SonicWALL Content Filtering Service Premium Edition for the E-Class NSA Series enhances protection and productivity for businesses and schools by employing an innovative rating architecture utilizing a dynamic database of URLs, IPs and domains to block over 50 categories of objectionable Web content. An easy-to-use management interface provides network administrators with greater control to transparently enforce acceptable use policies.
Analyzer <i>Note: Also available as a</i> <i>Virtual Appliance</i>		For NSA 5600/6600 and E-Class NSA Series 01-SSC-3382	SonicWALL Analyzer is an easy-to-use web-based application traffic analytics and reporting tool that provides real-time and historical insight into the health, performance and security of the network. Analyzer supports SonicWALL firewalls, backup/recovery appliances, and secure remote access devices while leveraging application traffic analytics for security event reports.
Global Management System <i>Note: Also available as a</i> <i>Virtual Appliance</i>		5-node License 01-SSC-7680 10-node License 01-SSC-3363 25-node License 01-SSC-3311	The SonicWALL Global Management System (GMSTM) provides organizations, distributed enterprises and service providers with a flexible, powerful and intuitive solution to centrally manage and rapidly deploy SonicWALL firewall, anti-spam, backup and recovery, and secure remote access solutions. SonicWALL GMS also provides centralized real-time monitoring, and comprehensive policy and compliance reporting.

occurry se	racionis				
NSA Series	SORONE	1000 (s.v. \$ 1000 L	wa (+ 411)		1
Product	NSA 220/220W	NSA 250M/250M-W	NSA 2400	NSA 3600	NSA 4600
Part Numbers	01-SSC-9750 (Wired) 01-SSC-9753 (Wireless)	01-SSC-9755 (Wired) 01-SSC-9758 (Wireless)	01-SSC-7020 01-SSC-7035 TotalSecure	01-SSC-3850 01-SSC-3853 TotalSecure	01-SSC-3840 01-SSC-3843 TotalSecure
Market Positioning and Specific Features	A high-performance Next-Gen Firewall offering branch offices and distributed enterprises in-depth frontline security, application and user control, network productivity and optional 802.11 dual-band wireless. Includes: ISP Failover/WAN Load Balancing 2 SSL VPN/2 VPN Clients 10/25* 802.1q VLAN Interfaces Object/Group-based Policy Mgt Stateful A/P HA (Option) Server Load Balancing	A high-performance Next-Gen Firewall offering branch offices and distributed enterprises in-depth frontline security, application and user control, network productivity and optional 802.11 dualband wireless. Includes:: • ADSL/LAN Bypass/E1/T1 Module Support • ISP Failover/WAN Load Balancing • 2 SSL VPN/2 VPN Clients • 10/25* 802.1q VLAN Interfaces • Object/Group-based Policy Mgt • Stateful A/P HA (Option) • Server Load Balancing	A high-performance, multi- service network security platform engineered to be the work horse of the small-to-medium and branch office business network environments. Includes: ISP Failover/WAN Load Balancing 2 SSL VPN/10 VPN Clients 25 802.1q VLAN Interfaces Object/Group-based Policy Mgt Stateful A/P HA (Option) Server Load Balancing	Secure your growing small to medium-sized organization, branch office and retail sites with the Dell SonicWALL NSA 3600 Next-Generation Firewall with enterprise-class features and uncompromising performance. Includes: ISP Failover/WAN Load Balancing SSL VPN/50 VPN Clients S0 802.1q VLAN Interfaces Object/Group-based Policy Mgt Stateful A/P HA (Option) Server Load Balancing	Secure your growing medium-sized organization or branch office with the Dell SonicWALL NSA 4600 Next-Generation Firewall with enterprise-class features and uncompromising performance. Includes: ISP Failover/WAN Load Balancing 2 SSL VPN/500 VPN Clients 200 802.1q VLAN Interfaces Object/Group-based Policy Mgt Stateful A/P High Availability Server Load Balancing
Bundled Services	 30 Days GAV, Anti-Spyware, IPS/App Intel/Control/Visualize 30 Days Analyzer Reporting 30 Days CFS Premium 30 Days 25-user Client/Server Anti- Virus Suite 	30 Days GAV, Anti-Spyware, IPS/App Intel/Control/Visualize 30 Days Analyzer Reporting 30 Days CFS Premium 30 Days 25-user Client/Server Anti-Virus Suite	 30 Days GAV, Anti-Spyware, IPS/App Intel/Control/Visualize 30 Days Analyzer Reporting 30 Days CFS Premium 30 Days 25-user Client/Server Anti-Virus Suite 	 30 Days GAV, Anti-Spyware, IPS/App Intel/Control/Visualize 30 Days Analyzer Reporting 30 Days CFS Premium 30 Days 25-user Client/Server Anti-Virus Suite 30 Days DPI SSL 	30 Days GAV, Anti-Spyware, IPS/App Intel/Control/Visualize 30 Days Analyzer Reporting 30 Days CFS Premium 30 Days 25-user Client/Server Anti-Virus Suite 30 Days DPI SSL
General Features Across all NSA Appliances	Deep Packet Inspection FirewallClean VPN	Dynamic Routing OSPF/RIPIPSec 3DES/AES Encryption	Voice and Video over IPRoute-based VPN	DHCP Server/DHCP RelayPolicy-based User Authentication	Bandwidth Management/QoS Single Sign-On
Specifications Nodes Interfaces	Unrestricted 7 GbE, 2 USB, 1 Console	Unrestricted 5 GbE, 2 USB, 1 Console, 1 Mod Slot	Unrestricted 6 GbE, 2 USB, 1 Console	Unrestricted 4 GbE, 4 1GBE (SFP)1 GbE HA Interface, 2 USB, 1 Console	Unrestricted 4 GbE, 4 1GBE (SFP)1 GbE HA Interface, 2 USB, 1 Console
Stateful Firewall Performance GAV Performance IPS Performance Full UTM Performance VPN Performance Site-to-Site VPN Policies Global VPN Client Licenses SSL VPN Client Licenses Virtual Assist Technicians Concurrent Connections New Connections/Second Warranty	600 Mbps 115 Mbps 195 Mbps 110 Mbps 150 Mbps (3DES/AES) 25 2 standard, non-shareable 2 Bundled/15 Max 30-Day Trial (1 Technician)/5 Max 85,000 (Max) 2,200 1-Yr Limited Hardware/90 days Limited Software	750 Mbps 140 Mbps 250 Mbps 130 Mbps 130 Mbps 200 Mbps (3DES/AES) 50 2 standard, non-shareable 2 Bundled/15 Max 30-Day Trial (1 Technician)/5 Max 110,000 (Max) 3,000 1-Yr Limited Hardware/90 days Limited Software	775 Mbps 160 Mbps 275 Mbps 150 Mbps 300 Mbps (3DES/AES) 75 10 standard, non-shareable 2 Bundled/25 Max 1 Bundled/5 Max 225,000 (Max) 4,000 1-Yr Limited Hardware/90 days Limited Software	3.4 Gbps 600 Mbps 1.1 Gbps 500 Mbps 1.5 Gbps (3DES/AES) 800 50 standard, non-shareable 2 Bundled/30 Max 2 Bundled/10 Max 325,000 (Max) 20,000 1-Yr Limited Hardware/90 days Limited Software	6.1 Gbps 1.1 Gbps 2.0 Gbps 800 Mbps 3.0 Gbps (3DES/AES) 1,500 500 standard, non-sharable 2 Bundled/30 Max 2 Bundled/10 Max 500,000 (Max) 40,000 1-Yr Limited Hardware/90 days Limited Software
General Upgrade Options Across all NSA Appliances	 Gateway AV, Anti-Spyware, IPS and Application Intelligence, Control and Visualization 	Comprehensive Anti-Spam ServiceVirtual Assist/Access	Client/Server Anti-Virus SuiteContent Filtering ServiceDeep Packet Inspection SSL	Global Management SystemAnalyzer Reporting SoftwareScrutinizer	 Mobile Connect SSL VPN iOS/Android Global VPN Client 8x5 and 24x7 Support
Key Selling Points	Breakthrough multi-core Next-Gener Ultra high-speed multi-layer threat p Next-generation protection with App	protection prof	urpassed business continuity and high tection ensible and modular architecture		alability and flexibility datable platform

		Security Services for NSA S	eries Solutions
Product		Part Numbers	Description
Comprehensive Gateway Security Suite	Committee Commit	For NSA 220 (2 Years/3 Years) 01-SSC-4649/01-SSC-4650 For NSA 250M (2 Years/3 Years) 01-SSC-4607/01-SSC-4608 For NSA 2400/MX (2 Years/3 Years) 01-SSC-9232/01-SSC-9239 For NSA 3600 (2 Years/3 Years) 01-SSC-4430/01-SSC-4431 For NSA 4600 (2 Years/3 Years) 01-SSC-4406/01-SSC-4407 Note: TotalSecure solutions ship with one year of CGSS included	SonicWALL Comprehensive Gateway Security Suite (CGSS) combines security, productivity, reporting and support in a single, low-cost solution. Available on all NSA Series appliances, it is the perfect solution for turning your customers' SonicWALLs into total security and productivity platforms. The Comprehensive Gateway Security Suite is available in one, two and three-year subscriptions that include the following: Gateway Anti-Virus, Anti-Spyware and Intrusion Prevention Service and Application Intelligence/Control Content Filtering Service Premium Edition Dynamic Support 24x7
Silver/Dynamic Support 8x5 and 24x7		Silver/Dynamic Support 8x5 SKUs by product Silver/Dynamic Support 24x7 SKUs by product Discounted two- and three-year contracts available	For customers who need continued protection through ongoing firmware updates and advanced technical support, SonicWALL Silver and Dynamic Support Services deliver the support features and quality of service that organizations require to keep their networks running smoothly and efficiently. These services include: Annual subscription to software and firmware updates and upgrades Access to telephone and Web-based support for installation, configuration and troubleshooting help Advance Exchange hardware replacement in the event of failure Annual subscription to SonicWALL Service Bulletins and access to electronic support tools
Gateway Anti-Virus, Anti- Spyware, Intrusion Prevention Service and Application Intelligence, Control and Visualization		For NSA 220 (2 Years/3 Years) 01-SSC-4613/01-SSC-4614 For NSA 250M (2 Years/3 Years) 01-SSC-4571/01-SSC-4572 For NSA 2400/MX (2 Years/3 Years) 01-SSC-6142/01-SSC-6158 For NSA 3600 (2 Years/3 Years) 01-SSC-4436/01-SSC-4437 For NSA 4600 (2 Years/3 Years) 01-SSC-4412/01-SSC-4413	SonicWALL Gateway Anti-Virus, Anti-Spyware, Intrusion Prevention Service and Application Intelligence, Control and Visualization integrates gateway anti-virus, anti-spyware and intrusion prevention to deliver intelligent, real-time network security protection against a comprehensive array of dynamic threats including viruses, spyware, worms, Trojans and software vulnerabilities such as buffer overflows, as well as peer-to-peer and instant messenger applications, backdoor exploits, and other malicious code.
Enforced Client Anti-Virus and Anti-Spyware		5 users (1 Yr) McAfee 01-SSC-2743 10 users (1 Yr) McAfee 01-SSC-2740 25 users (1 Yr) McAfee 01-SSC-2745 50 users (1 Yr) McAfee 01-SSC-2741 100 users (1 Yr) McAfee 01-SSC-2742 Discounted two- and three-year clients available	SonicWALL Enforced Client Anti-Virus and Anti-Spyware provides comprehensive protection with little administrative overhead. Anti-virus and anti-spyware policies are automatically enforced network-wide whenever new threats appear. Comprehensive virus and spyware protection using a single integrated client Automated enforcement of virus and spyware protection policies Automated deployments of anti-virus and anti-spyware definition and software updates Full featured email attachment filtering
Comprehensive Anti-Spam Service Note: Recommended for up to 250 users.		For NSA 220 (2 Years/3 Years) 01-SSC-4643/01-SSC-4644 For NSA 250M (2 Years/3 Years) 01-SSC-4601/01-SSC-4602 For NSA 2400/MX (2 Years/3 Years) 01-SSC-8998/01-SSC-8999 For NSA 3600 (2 Years/3 Years) 01-SSC-4448/01-SSC-4449 For NSA 4600 (2 Years/3 Years) 01-SSC-4424/01-SSC-4425	SonicWALL Comprehensive Anti-Spam Service adds powerful enterprise-class protection that can immediately improve network performance by eliminating spam, phishing and viruses from entering your network. With just one mouse click, you can enable advanced cloud-based inbound SMTP protection based on the same technology as in SonicWALL's award-winning line of Email Security software and appliances. Effective enough to be your primary anti-spam solution, or use in front of any existing anti-spam product as a first touch to reduce bandwidth consumption and improve security.
Secure Virtual Assist		Up to 1 Technician 01-SSC-5967 Up to 5 Technicians 01-SSC-5974 Up to 10 Technicians 01-SSC-5971 Up to 25 Technicians 01-SSC-5972	SonicWALL Secure Virtual Assist is a remote support tool that enables a technician to assume control of a customer's PC or laptop for the purpose of providing remote technical assistance. With the customer's permission, the technician can gain instant access to a computer using a Web browser, making it easy to diagnose and fix a problem remotely without the need for a pre-installed "fat" client.
Content Filtering Service Premium Edition		For NSA 220 (2 Years/3 Years) 01-SSC-4619/01-SSC-4620 For NSA 250M (2 Years/3 Years) 01-SSC-4577/01-SSC-4578 For NSA 2400/MX (2 Years/3 Years) 01-SSC-7341/01-SSC-7348 For NSA 3600 (2 Years/3 Years) 01-SSC-4442/01-SSC-4443 For NSA 4600 (2 Years/3 Years) 01-SSC-4418/01-SSC-4419	SonicWALL Content Filtering Service Premium Edition for the NSA Series enhances protection and productivity for businesses and schools by employing an innovative rating architecture utilizing a dynamic database of URLs, IPs and domains to block over 50 categories of objectionable Web content. An easy-to-use management interface provides network administrators with greater control to transparently enforce acceptable use policies.
Analyzer Note: Also available as a Virtual Appliance		For NSA 220/250M/2400 01-SSC-3379 For NSA 3600 01-SSC-3380 For NSA 4600 01-SSC-3381	SonicWALL Analyzer is an easy-to-use web-based application traffic analytics and reporting tool that provides real-time and historical insight into the health, performance and security of the network. Analyzer supports SonicWALL firewalls, backup/recovery appliances, and secure remote access devices while leveraging application traffic analytics for security event reports.
Global Management System <i>Note: Also available as a</i> <i>Virtual Appliance</i>		5-node License 01-SSC-7680 10-node License 01-SSC-3363 25-node License 01-SSC-3311	SonicWALL Global Management System (GMS TM) provides organizations, distributed enterprises and service providers with a flexible, powerful and intuitive solution to centrally manage and rapidly deploy SonicWALL firewall, anti-spam, backup and recovery, and secure remote access solutions. SonicWALL GMS also provides centralized real-time monitoring, and comprehensive policy and compliance reporting.

TZ Series







Product	TZ 105/105 Wireless-N	TZ 205/205 Wireless-N	TZ 215/215 Wireless-N	
Part Numbers	01-SSC-6942 (Wired) 01-SSC-4899 (Wireless) 01-SSC-4906 (Wired) TotalSecure 01-SSC-4910 (Wireless) TotalSecure	01-SSC-6945 (Wired) 01-SSC-4883 (Wireless) 01-SSC-4890 (Wired) TotalSecure 01-SSC-4894 (Wireless) TotalSecure	01-SSC-4976 (Wired) 01-SSC-4969 (Wireless) 01-SSC-4982 (Wired) TotalSecure 01-SSC-4986 (Wireless) TotalSecure	
Market Positioning and Specific Features	The TZ 105 is the most secure Unified Threat Management (UTM) firewall available for small offices, home offices and small retail deployments. Includes: • Unrestricted Nodes • SonicOS 5.x Firmware • IPSec and SSL VPN Remote Access • 5-port Auto-MDIX Switch • PortShield Architecture • Additional Wireless Features: • 802.11n Support • WPA2 Support • Wireless Intrusion Detection/Prevention	The powerful TZ 205 Unified Threat Management (UTM) firewall combines the most effective intrusion prevention, anti-malware and content/URL filtering with the broadest, most secure mobile platform support for laptops, smartphones and tablets. Includes: • Unrestricted Nodes • Dual Core processor • SonicOS 5.x Firmware • IPSec and SSL VPN Remote Access • 3G Wireless Broadband • 5-port Auto-MDIX GbE Switch • USB Port • PortShield Architecture • Additional Wireless Features: • 802.11n Dual-Band Support • WPA2 Support • Wireless Intrusion Detection/Prevention	The TZ 215 is the most secure, highest performing Unified Threat Management (UTM) firewall available for small businesses, distributed enterprises, branch offices and retail deployments, integrating antimalware, intrusion prevention, application control and URL filtering, driving down cost and complexity. Includes: • Unrestricted Nodes • Dual Core processor • SonicOS 5x Firmware • Gigabit Ethernet WAN and LAN • IPSec and SSL VPN Remote Access • 3G Wireless Broadband • 5-port Auto-MDIX GbE Switch • USB Ports • PortShield Architecture • Additional Wireless Features: • 802.11n Dual-Band Support • WPA2 Support • Wireless Intrusion Detection/Prevention	
Bundled Services	 30 Days GAV, Anti-Spyware and IPS 30 Days CFS Premium Edition 30 Days Enforced Desktop Anti-Virus 30 Days Analyzer Reporting Software 	 30 Days GAV, Anti-Spyware and IPS 30 Days CFS Premium Edition 30 Days Enforced Desktop Anti-Virus 30 Days Analyzer Reporting Software 	 30 Days GAV, Anti-Spyware, IPS, Application Intelligence, Control and Visualization 30 Days CFS Premium Edition 30 Days Enforced Desktop Anti-Virus 30 Days Analyzer Reporting Software 	
General Features Across all TZ Appliances	 Deep Packet Inspection Firewall Clean VPN Dynamic DNS IPSec 3DES/AES Encrypt 	Voice and Video over IP DHCP Sotion Route-based VPN Policy-I	erver • PPTP/DHCP/PPPoE/L2TP Client passed User Authentication • Bandwidth Management	
Specifications Licensed Nodes Interfaces Stateful Packet Inspection GAV Performance IPS Performance Full UTM Performance VPN Performance Site-to-Site VPN Policies Global VPN Client Licenses SSL VPN Client Licenses Virtual Assist Technicians Concurrent Connections Warranty	Unrestricted 5 FE (w/Switch), 2 USB, 1 Console 200 Mbps 40 Mbps 60 Mbps 25 Mbps 75 Mbps (3DES/AES) 5 Optional Upgrade/5 Max 1/5 Max - 8,000 (Max) 1-Yr Limited Hardware/90 days Limited Software	Unrestricted 5 GbE (w/Switch), 1 USB, 1 Console 500 Mbps 60 Mbps 80 Mbps 40 Mbps 100 Mbps (3DES/AES) 10 2/10 Max 1/10 Max 30-Day Trial (1 Technician)/1 Max 12,000 (Max) 1-Yr Limited Hardware/90 days Limited Software	Unrestricted 7 GbE (w/Switch), 2 USB, 1 Console 500 Mbps 70 Mbps 110 Mbps 60 Mbps 130 Mbps (3DES/AES) 15 2/25 Max 2/10 Max 30-Day Trial (1 Technician)/2 Max 48,000 (Max) 1-Yr Limited Hardware/90 days Limited Software	
General Upgrade Options Across all TZ Appliances	* **	Itering Service	ervice • Analyzer Reporting Software • Global Management System	
Key Selling Points	·	ormance leadership • Easy to deploy and manage nsive layered security • Powerful firewall throughput concentration	Simple VPN Client provisioning through automatic, user-authenticated VPN policy download and synchronization	

		Security Services for TZ Se	eries Solutions
Product		Part Numbers	Description
Comprehensive Gateway Security Suite	Control Control Office of Contr	For TZ 105 Series (2 Years/3 Years) 01-SSC-4878/01-SSC-4879 For TZ 205 Series (2 Years/3 Years) 01-SSC-4839/01-SSC-4840 For TZ 215 Series (2 Years/3 Years) 01-SSC-4794/01-SSC-4795 Note: TotalSecure solutions ship with one year of CGSS included	SonicWALL Comprehensive Gateway Security Suite (CGSS) combines security, productivity, reporting and support in a single, low-cost solution. Available on all TZ Series appliances, it is the perfect solution for turning your customers' SonicWALLs into total security and productivity platforms. The Comprehensive Gateway Security Suite is available in one, two and three-year subscriptions that include the following: Gateway Anti-Virus, Anti-Spyware and Intrusion Prevention Service Application Intelligence, Control and Visualization (TZ 215 only) Content Filtering Service Premium Edition Dynamic Support 24x7
Gateway Anti-Virus, Anti- Spyware and Intrusion Prevention Service		For TZ 105 Series (2 Years/3 Years) 01-SSC-4845/01-SSC-4846 For TZ 205 Series (2 Years/3 Years) 01-SSC-4800/01-SSC-4801 For TZ 215 Series (2 Years/3 Years) 01-SSC-4758/01-SSC-4759	Available on SonicWALL TZ Series appliances, SonicWALL Gateway Anti-Virus, Anti-Spyware and Intrusion Prevention Service integrates gateway anti-virus, anti-spyware and intrusion prevention to deliver intelligent, real-time network security protection against a comprehensive array of dynamic threats including viruses, spyware, worms, Trojans and software vulnerabilities such as buffer overflows, as well as peer-to-peer and instant messenger applications, backdoor exploits, and other malicious code.
Enforced Client Anti- Virus and Anti-Spyware		5 users (1 Yr) McAfee 01-SSC-2743 10 users (1 Yr) McAfee 01-SSC-2740 25 users (1 Yr) McAfee 01-SSC-2745 50 users (1 Yr) McAfee 01-SSC-2741 100 users (1 Yr) McAfee 01-SSC-2742 Discounted two- and three-year clients available	SonicWALL Enforced Client Anti-Virus and Anti-Spyware provides comprehensive protection with little administrative overhead. Anti-virus and anti-spyware policies are automatically enforced network-wide whenever new threats appear. Comprehensive virus and spyware protection using a single integrated client Automated enforcement of virus and spyware protection policies Automated deployments of anti-virus and anti-spyware definition and software updates Full featured email attachment filtering
Comprehensive Anti- Spam Service Note: Recommended for up to 250 users.		For TZ 105 Series (2 Years/3 Years) 01-SSC-4872/01-SSC-4873 For TZ 205 Series (2 Years/3 Years) 01-SSC-4833/01-SSC-4834 For TZ 215 Series (2 Years/3 Years) 01-SSC-4788/01-SSC-4789	SonicWALL Comprehensive Anti-Spam Service adds powerful enterprise-class protection that can immediately improve network performance by eliminating spam, phishing and viruses from entering your network. With just one mouse click, you can enable advanced cloud-based inbound SMTP protection based on the same technology as in SonicWALL's award-winning line of Email Security software and appliances. Effective enough to be your primary anti-spam solution, or use in front of any existing anti-spam product as a first touch to reduce bandwidth consumption and improve security.
Secure Virtual Assist		Up to 1 Technician 01-SSC-5967 Up to 5 Technicians 01-SSC-5974 Up to 10 Technicians 01-SSC-5971 Up to 25 Technicians 01-SSC-5972	SonicWALL Secure Virtual Assist is a remote support tool that enables a technician to assume control of a customer's PC or laptop for the purpose of providing remote technical assistance. With the customer's permission, the technician can gain instant access to a computer using a Web browser, making it easy to diagnose and fix a problem remotely without the need for a pre-installed "fat" client.
Content Filtering Service Premium Business Edition		For TZ 105 Series (2 Years/3 Years) 01-SSC-4851/01-SSC-4852 For TZ 205 Series (2 Years/3 Years) 01-SSC-4806/01-SSC-4807 For TZ 215 Series (2 Years/3 Years) 01-SSC-4764/01-SSC-4765	SonicWALL Content Filtering Service Premium Edition enhances protection and productivity for businesses and schools by employing an innovative rating architecture utilizing a dynamic database of URLs, IPs and domains to block over 50 categories of objectionable Web content. An easy-to-use management interface provides network administrators with greater control to transparently enforce acceptable use policies.
Analyzer <i>Note: Also available as a</i> <i>Virtual Appliance</i>		For TZ Series 01-SSC-3378	SonicWALL Analyzer is an easy-to-use web-based application traffic analytics and reporting tool that provides real-time and historical insight into the health, performance and security of the network. Analyzer supports SonicWALL firewalls, backup/recovery appliances, and secure remote access devices while leveraging application traffic analytics for security event reports.
Global Management System <i>Note: Also available as a</i> <i>Virtual Appliance</i>		5-node License 01-SSC-7680 10-node License 01-SSC-3363 25-node License 01-SSC-3311	The SonicWALL Global Management System (GMSTM) provides organizations, distributed enterprises and service providers with a flexible, powerful and intuitive solution to centrally manage and rapidly deploy SonicWALL firewall, anti-spam, backup and recovery, and secure remote access solutions. SonicWALL GMS also provides centralized real-time monitoring, and comprehensive policy and compliance reporting.
Dynamic Support 8x5 and 24x7		Dynamic Support 8x5 SKUs by product Dynamic Support 24x7 SKUs by product Discounted two- and three-year contracts available	For customers who need continued protection through ongoing firmware updates and advanced technical support, SonicWALL Dynamic Support Services delivers the support features and quality of service that organizations require to keep their networks running smoothly and efficiently. These services include: • Annual subscription to software and firmware updates and upgrades • Access to telephone and Web-based support for installation, configuration and troubleshooting help • Advance Exchange hardware replacement in the event of failure











Product	WXA 500 Live CD	WXA 2000	WXA 4000	WXA 5000 Virtual Appliance			
Part Numbers	01-SSC-9438 (Includes 1 year Software Subscription and Dynamic Support 24x7) 01-SSC-9446 (Software and 24x7 Support 1 Year) 01-SSC-9447 (Software and 24x7 Support 2 Years) 01-SSC-9448 (Software and 24x7 Support 3 Years	01-SSC-9440 (Includes 1 Year of Dynamic Support 24x7) 01-SSC-9449 (Dynamic Support 24x7 1 Year) 01-SSC-9450 (Dynamic Support 24x7 2 Years) 01-SSC-9451 (Dynamic Support 24x7 3 Years)	01-SSC-9442 (Includes 1 year of Dynamic Support 24x7) 01-SSC-9452 (Dynamic Support 24x7 1 Year) 01-SSC-9453 (Dynamic Support 24x7 2 Years) 01-SSC-9454 (Dynamic Support 24x7 3 Years)	01-SSC-9444 (Includes 1 year Software Subscription and Dynamic Support 24x7) 01-SSC-9455 (Software and 24x7 Support 1 Year) 01-SSC-9456 (Software and 24x7 Support 2 Years) 01-SSC-9457 (Software and 24x7 Support 3 Years)			
Market Positioning and Specific Features	sized organizations with remote and bran data across the network. Unlike standalon configuration, routing and management.	The SonicWALL WAN Acceleration Appliance (WXA) Series significantly enhances WAN application performance and improves the end user experience for small-to sized organizations with remote and branch offices. After initial file transfer, the WXA solution dramatically reduces all subsequent traffic by transmitting only new codata across the network. Unlike standalone products, the WXA Series is an integrated add-on to SonicWALL E-Class NSA, NSA and TZ firewalls, thus simplifying deponding traffic provided in conjunction with SonicWALL Application Intelligence and Control, the WXA Series offers the unique content of both prioritizing application traffic and minimizing traffic between sites.					
Specifications Management Maximum Users Maximum Connections Byte Caching Web (HTTP) Caching TCP/File Compression CIFS/SMB Acceleration Signed SMB Support	Requires SonicOS 5.8.1.0 or later 20 100 Yes Yes Yes Yes Yes Yes Yes Yes	Requires SonicOS 5.8.1.0 or later 120 600 Yes Yes Yes Yes Yes	Requires SonicOS 5.8.1.0 or later 240 1,200 Yes Yes Yes Yes Yes Yes Yes Yes Yes	Requires SonicOS 5.8.1.0 or later 360 1,800 Yes			

^{*} CIFS/SMB acceleration is available only when the Live CD image is installed on the provided hardware

Wireless Solution









Product	SonicPoint-Ni, SonicPoint-Ne and SonicPoint-N Dual-Radio Access Points	Power over Ethernet (PoE) Injector
Part Numbers	SonicPoint-Ni Dual-Band Bundle with PoE Injector SonicPoint-Ni Dual-Band Bundle with voE Injector SonicPoint-Ne Dual-Band Bundle with PoE Injector SonicPoint-Ne Dual-Band Bundle with voE Injector SonicPoint-N Dual-Band Bundle with voE Injector SonicPoint-N Dual-Radio Bundle with voE Injector SonicPoint-N Dual-Radio Bundle without voE Injector	01-SSC-5544 (802.3af Gigabit-N) 01-SSC-5545 (802.3at Gigabit-N)
Market Positioning and Specific Features	Compliant with the IEEE 802.11n standard, the SonicPoint-Ni, SonicPoint-Ne and SonicPoint-N Dual-Radio are dependent access points that provide secure wireless LAN connectivity to users on the network. Includes: • Automatic provisioning from TZ, NSA and E-Class NSA Series Appliances* • Support for multiple security options (WPA, WPA2, WEP, SSL VPN, IPSec) • Support for up to 8 distinct SSIDs with distinct security policies using Virtual Access Points (VAP)** • Multiple input, Multiple output technology (MIMO) • IEEE 802.3af/at Power Over Ethernet receive capability*** • Detachable antennas (SonicPoint-Ne and SonicPoint-N Dual-Radio only) • Controllable LEDs (power excluded) and a plastic cover for LEDs and the logo for discreet installations such as hospital rooms • Wall or Ceiling Mountable * SonicPoint-Ni/SonicPoint-Ne requires SonicOS 5.6.0.3 or greater. SonicPoint-N Dual-Radio-N requires SonicOS 5.8 or greater. **Available on NSA 220/250M/240/2400/3500/4500/5000/E5500/E6500/E7500/E8500/E8510 running SonicOS 5.8 or greater ***SonicPoint-Ni and SonicPoint-N Dual-Band access points support PoE power only. SonicPoint-Ne Dual-Radio access points can also be powered directly through an AC adapter	The SonicWALL PoE Injector is an IEEE 802.3af/at compliant power injector that detects the presence of PoE-compatible devices and "injects" the appropriate power into the data cable. Includes: Remote power feeding IEEE 802.3 compliant Advanced auto-sensing algorithm Interlocking Note: SonicPoint-N Dual-Radio requires an 802.3at compliant PoE injector or switch

SSL VPN for the Enterprise: SonicWALL Aventail

302 717 10	r tite Britter p	rise: Sonicwa	10071701						
Product	the user is and the e	SonicWALL Aventail SSL VPNs provide granular application access control by first detecting the security of the end point, protecting applications with granular policy based on who the user is and the endpoint used for access, and then connecting authorized employees and business partners effortlessly from a broad range of cross-platform devices only to authorized resources.							
Key Features	End Point Control promanaged devices prior in order to detect the overall trust level Cache Control purges passwords Secure Desktop offers	Protect application of the device and determine the devices prior to connecting and on a recurring schedule of detect the identity of the device and determine the device and			t applications with granular access and device integrity. cy Zones provide administrators the allow, deny and quarantine zero and devices based on device in field Policy is the enforcement entry and the survey of the provided in the prov	with the ability to easily ones that govern access for all dentity and device integrity ngine for protecting corporate all Web resources, file shares le location, ensuring users one help desk and ported directly from the inistrators can set up a kPlace, where users can thelp desk and then the help	WorkPlace Portal providing efrom virtually any devices smart Access dynamic methods and endpoin on the type of device to Connect Tunnel provioptions as the WorkPlauser instead launches portal Mobile Connect provi	ally determines and deploy t interrogation within the W used as well as user-level po des the same endpoint con ace portal, with the only diff an agent directly from the co- des secure remote access t nnection from Apple iOS ar	zed and policy-driven ent/server applications as the appropriate access forkPlace portal based ermissions atrol and access control ference being that the device versus launching a
Appliance Models	SonicWALL Ave	entail SRA EX6000	SonicWALL Aventail SRA EX7000 SonicWA		SOMEWALE BUILDING	ntail SRA EX9000	Virtual Appliance		
Step 1: Select Appliance	01-SS	C-9601	01-SSC-9602		01-SSC-9574		01-SSC-8468		
Step 2: Select User Count	Concurrent User Count 01-SSC-9618 (250 User) 01-SSC-9616 (100 User) 01-SSC-9614 (50 User) 01-SSC-9612 (25 User)	High Availability (HA) Concurrent User Count 01-SSC-9619 (250 User HA) 01-SSC-9617 (100 User HA) 01-SSC-9613 (25 User HA)	01-SSC-8470 (500 01-SSC-9651 (200 01-SSC-9649 (100 01-SSC-9647 (50 01-SSC-9618 (25	Concurrent User Count 01-SSC-8470 (5000 User) 01-SSC-9651 (2000 User) 01-SSC-9649 (1000 User) 01-SSC-9647 (500 User) 01-SSC-9618 (250 User) 01-SSC-9616 (100 User) 01-SSC-9619 (250 User HA) 01-SSC-9619 (250 User HA) 01-SSC-9619 (250 User HA) 01-SSC-9617 (100 User HA)		01-SSC-9944 (12500 User) 01-SSC-9942 (10000 User) 01-SSC-9940 (7500 User) 01-SSC-8470 (5000 User)	High Availability (HA) Concurrent User Count 1-SSC-9949 (20000 User HA) 1-SSC-9947 (15000 User HA) 1-SSC-9945 (12500 User HA) 1-SSC-9943 (10000 User HA) 01-SSC-9941 (7500 User HA) 01-SSC-8471 (5000 User HA)	01-SSC-8470 01-SSC-9651 01-SSC-9649 01-SSC-9649 01-SSC-961 01-SSC-961 01-SSC-961 01-SSC-961	9 (1000 User)
Step 3: Select Support		ss Support 24x7 ns, contact SonicWALL)			uss Support 24x7 ons, contact SonicWALL)	1 Year E-Class Support 24x7 (For 2 & 3 year options, contact SonicWALL)		1 Year E-Class (For 2 & 3 year options	s Support 24x7 s, contact SonicWALL)
	01-SSC-7846 (250 User) 01-SSC-7832 (100 User) 01-SSC-7811 (50 User)	01-SSC-7783 (25 User) 01-SSC-9610 (5 User Lab)	01-SSC-8147 (1000 User)		01-SSC-9984 (20000 User) 01-SSC-9987 (15000 User) 01-SSC-9990 (12500 User) 01-SSC-9993 (10000 User)	01-SSC-9996 (7500 User) 01-SSC-9999 (5000 User) 01-SSC-9715 (2000 User) 01-SSC-9718 (1000 User)	01-SSC-9422 (5000 User) 01-SSC-9425 (2000 User) 01-SSC-9428 (1000 User) 01-SSC-9431 (500 User)	01-SSC-9108 (250 User) 01-SSC-9111 (100 User) 01-SSC-9114 (50 User) 01-SSC-9117 (25 User) 01-SSC-9120 (10 User)	
Step 4: Select Add-On Features (Optional)	to Citrix applications and sessions. • SRA EX7000: In • SRA EX6000: 02		ess	point ca applian the Sec	ced End Point Control provides control to the SonicWALL Aventa nces, including the Advanced Information of the SonicWALL sure Desktop features. SRA EX7000: Included SRA EX6000: 01-SSC-9620 SRA Virtual Appliance: 01-SSC	ail SRA errogator and	smart phone and PDA us for the device. • SRA EX7000: Inc • SRA EX6000: 01		

Advanced Reporting delivers a robust hierarchical log analysis tool that enables organizations to track and evaluate all remote user access to enterprise resources over a SonicWALL Aventail SSL VPN.

• SRA EX7000: 01-SSC-8227

• SRA EX6000: 01-SSC-8227

• SRA Virtual Appliance: 01-SSC-8227



Spike Licenses allows for the immediate increase of the remote user count in the event of a business disruption.

- SRA EX7000: Contact SonicWALL
- SRA EX6000: Contact SonicWALL
- SRA Virtual Appliance: Not Available



Secure Virtual Assist is a remote support tool that enables a technician to assume control of a customer's PC or laptop for the purpose of providing remote technical assistance.

- Up to 10 Concurrent Technicians: 01-SSC-8464
- Up to 25 Concurrent Technicians: 01-SSC-8465
- Up to 50 Concurrent Technicians 01-SSC-8466
- Up to 100 Concurrent Technicians: 01-SSC-8467



SSL VPN for the SMB







Product	SRA 1600	SRA 4600	SRA Virtual Appliance	
Part Numbers	01-SSC-6594 (SRA 1600 5 Users) 01-SSC-7138 (SRA 1600 Add 5 Users) 01-SSC-7139 (SRA 1600 Add 10 Users)	01-SSC-6596 (SRA 4600 25 Users) 01-SSC-7118 (SRA 4600 Add 10 Users) 01-SSC-7119 (SRA 4600 Add 25 Users) 01-SSC-7120 (SRA 4600 Add 100 Users)	01-SSC-8469 (SRA Virtual Appliance 5 Users) 01-SSC-9182 (SRA Virtual Appliance Add 5 Users) 01-SSC-9183 (SRA Virtual Appliance Add 10 Users) 01-SSC-9184 (SRA Virtual Appliance Add 25 Users)	
Market Positioning and Specific Features	The SonicWALL SRA 1600 (up to 50 concurrent users) provides small enterprises with a simple, affordable secure and clientless remote network and application access solution for remote and mobile employees. Users can easily and securely access email, files, intranets, remote desktops; Citrix (ICA) based applications and other resources on the corporate LAN from any location through a standard Web browser. Includes: • Seamless integration behind virtually any firewall • NetExtender technology on Windows, Mac, Linux, Windows Mobile and Google Android operating systems provides advanced remote access capabilities • Granular policy configuration controls • Personalized portal experience with context-sensitive help • Tokenless two-factor authentication • Remote support capability using SonicWALL® Virtual Assist • NetExtender/Mobile Connect on Windows Mobile, Google Android and Apple iOS provide layer-3 access to entire intranet • Basic IPv6 support in anticipation of the new standard • Application offloading to secure access to Web applications • Layer-7 Load Balancing • End Point Control (EPC) for Windows devices	The SonicWALL SRA 4600 (up to 500 concurrent users) provides mid-size enterprises with a simple, affordable secure and clientless remote network and application access solution for remote and mobile employees. Users can easily and securely access email, files, intranets, remote desktops; Citrix (ICA) based applications and other resources on the corporate LAN from any location through a standard Web browser. Includes: Seamless integration behind virtually any firewall NetExtender technology on Windows, Mac, Linux, Windows Mobile and Google Android operating systems provides advanced remote access capabilities Granular policy configuration controls Personalized portal experience with context-sensitive help Tokenless two-factor authentication Remote support capability using SonicWALL® Virtual Assist NetExtender/Mobile Connect on Windows Mobile, Google Android and Apple iOS provide layer-3 access to entire intranet Basic IPv6 support in anticipation of the new standard Application offloading to secure access to Web applications Layer-7 Load Balancing Active/Passive High Availability End Point Control (EPC) for Windows devices	The SonicWALL SRA Virtual Appliance (up to 50 concurrent users) provides small-to-medium enterprises with a simple, affordable secure and clientless remote network and application access solution for remote and mobile employees. Users can easily and securely access email, files, intranets, remote desktops; Citrix (ICA) based applications and other resources on the corporate LAN from any location through a standard Web browser. * Available for VMware ESX and ESXi (version 4.0 and greater) * Needs 2GB of memory and 2GB of hard disk space Includes: • Seamless integration behind virtually any firewall • NetExtender technology on Windows, Mac, Linux, Windows Mobile and Google Android operating systems provides advanced remote access capabilities • Granular policy configuration controls • Personalized portal experience with context-sensitive help • Tokenless two-factor authentication • Remote support capability using SonicWALL® Virtual Assist • NetExtender/Mobile Connect on Windows Mobile, Google Android and Apple iOS provide layer-3 access to entire intranet • Basic IPv6 support in anticipation of the new standard • Application offloading to secure access to Web applications • Layer-7 Load Balancing • End Point Control (EPC) for Windows devices	
Add-On Features (Optional) Secure Virtual Assist is a remote support tool that enables a technician to assume control of a customer's Windows, Mac or Linux-based PC or laptop for the purpose of providing remote technicial assistance. With the customer's permission, the technician can gain instant access to a computer using a Web browser, making it easy to diagnose and fix a problem remotely without the need for a pre-installed "fat" client.		Mac or unattended Windows-based computers from anywhere. Secure Virtual Meeting is a collaborate securely. Apart from host screen Lip To 1 Concurrent Technician: 01-SSC-5967 Lip To 5 Concurrent Technicians: 01-SSC-5974 Lip To 10 Concurrent Technicians: 01-SSC-5971 Lip To 25 Concurrent Technicians: 01-SSC-5971 Lip To 25 Concurrent Technicians: 01-SSC-5972		
	Web Application Firewall (WAF) Service applies reverse proxy and signatures, denies access upon detecting Web application malware error page. SonicWALL WAF detects attacks such as Cross-Site SonicWALL WAF detects attacks such as Cross-Site SonicWALL	e, and redirects users to an explanatory	SRA 1600 Add-On Web Application Firewall (1 Year): 01-SSC-7153* SRA 4600 Add-On Web Application Firewall (1 Year): 01-SSC-7135* SRA Virtual Appliance Add-On Web Application Firewall (1 Year): 01-SSC-91853	

error page. SonicWALL WAF detects attacks such as Cross-Site Scripting (CSS), SQL Injection, Cross-Site Request Forgery (CSRF) and cookie tampering, to help attain PCI compliance. By preventing theft of credit card and SSN information, SonicWALL WAF can achieve Data Leak Protection (DLP). WAF custom rule chains provide the extra flexibility to follow positive or negative security model to detect custom pattern in HTTP(S) traffic. In addition to custom rules, Application Profiling can help monitor web traffic to build a dynamic model of protected applications and help suggest custom rules based on the same.





SRA Virtual Appliance Add-On Web Application Firewall (1 Year): 01-SSC-9185*

*2-Year and 3-Year SKUs available on price list

SonicWALL Spike Licenses allow for the immediate increase of the remote user count in the event of a business disruption such as an earthquake or snowstorm.



SRA 1600 10-day 50-User Spike: 01-SSC-7140


SRA 4600 10-day 250 User Spike: 01-SSC-7121

SRA 4600 10-day 500 User Spike: 01-SSC-7122

Analyzer for SRA 1600/1200, SRA Virtual Appliance: 01-SSC-3387

SRA Virtual Appliance 10 day 50 User Spike: 01-SSC-9175

SonicWALL Analyzer provides reporting on remote user access activity on SRA devices. Analyzer also reports on activity on SonicWALL firewalls, backup and recovery, and Aventail devices.



Email Security - In 3 Easy Steps:

Step 1: Software/Appliance/Hosted

Step 2: Add Email Protection

Step 3: Add Optional Protection

Software Platform

SonicWALL Email Security Software is for the organizations that desire an email security solution to run on their existing Windows 2003 or 2008 Server system.



Software - 01-SSC-6636

System Requirements – OS: Windows Server 2003 Server or 2008 Server; CPU: 2.66 GHz min.; RAM: 2 GB recommended; Hard Drive: 40 GB free space min.

Virtual Appliance Platform - 01-SSC-7636

For organizations that desire an email security solution to run in a VMware environment. System Requirements: VMware ESXiTM and ESXTM (version 4.0 and newer); Allocated Memory 2 GB; Appliance Disk Size 80 GB.

Appliance Platforms



SonicWALL Email Security Appliances come with the SonicWALL Email Security software pre-installed.

Appliance Models

ESA 3300 - 01-SSC-6607

2 GB RAM, 250 GB hard drive, Intel 2.0 GHz CPU

ESA 4300 - 01-SSC-6608

4 GB RAM, 2x 250 GB hard drive (RAID-1), Intel Dualcore

2.13 GHz CPU

ESA ES8300 - 01-SSC-6609

4 GB RAM, 4x750 GB HDD (RAID-5),

Quadcore 2 GHz CPU

Hosted Platform



SonicWALL™ Hosted Email Security offers superior cloud-based protection from inbound and outbound threats including spam, phishing, zombie attacks and malware, while minimizing deployment, administration and bandwidth expense.

Hosted Email Security and Dynamic Support 24x7 (1 Yr)

Security and	Dynamic Support 24x7
10 Users	01-SSC-5030
25 Users	01-SSC-5033
50 Users	01-SSC-5036
100 Users	01-SSC-5039
250 Users	01-SSC-5042
500 Users	01-SSC-5045
750 Users	01-SSC-5057
1,000 Users	01-SSC-5048
2,000 Users	01-SSC-5051

This required subscription activates features in the SonicWALL Email Security (SES) system, Appliance or Software, for up to the number of users purchased. This subscription comes with either 8x5 or 24x7 Dynamic Support services. NOTE: Steps 2 and 3 are not required when selecting Hosted Email Security.

Features

SonicWALL Email Protection subscription with Dynamic Support (8x5 or 24x7) provides threat protection for SonicWALL Email Security Software or Appliances. Includes:

- Anti-Spam, Anti-Phishing & Anti-Virus automatic updates from the SonicWALL GRID Network
- Software and firmware updates
- Phone-based support (8x5 or 24x7), Web-based support anytime
- RMA for the appliance One (1) year warranty for repair or replacement of any defective product due to manufacturer's defects

User Packs	8 x 5 Support	24 x 7 Support
25 user pack 50 user pack 100 user pack 250 user pack 500 user pack 750 user pack 1,000 user pack 2,000 user pack 5,000 user pack	01-SSC-6659 01-SSC-6660 01-SSC-6666 01-SSC-6661 01-SSC-6667 01-SSC-6662 01-SSC-6668 01-SSC-6663 01-SSC-6664 01-SSC-6716	01-SSC-6669 01-SSC-6670 01-SSC-6676 01-SSC-6671 01-SSC-6672 01-SSC-6678 01-SSC-6673 01-SSC-6674 01-SSC-6730

User Packs can be quantity stacked to obtain the desired number of users for a given subscription, e.g. 75 users = 50 user pack + 25 user pack.

There are two optional subscriptions that can be added to SonicWALL Email Security systems. The number of users must be the same as the Email Protection subscription.

Email Compliance Subscription

Includes: Compliance Dictionaries, Attachment Scanning, Approval Boxes, Record ID matching, Archiving, Encryption and compliance reports

01-SSC-6639
01-SSC-6640
01-SSC-6646
01-SSC-6641
01-SSC-6627
01-SSC-6642
01-SSC-6648
01-SSC-6643
01-SSC-6644
01-SSC-6735

Anti-Virus Subscriptions

Includes: Signature updates, SonicWALL Time-Zero Anti-Virus and Zombie detection

25 user pack	01-SSC-6759
50 user pack	01-SSC-6760
100 user pack	01-SSC-6766
250 user pack	01-SSC-6761
500 user pack	01-SSC-6767
750 user pack	01-SSC-6762
1,000 user pack	01-SSC-6768
2,000 user pack	01-SSC-6763
5,000 user pack	01-SSC-6764
10,000 user pack	01-SSC-7562

Universal Management Appliance (UMA)



Product	E-Class UMA EM5000	How to Purchase		
Part Numbers	01-SSC-7665 Includes 10 node GMS Software License and 1-year Hardware Warranty			
Market Positioning and Specific Features	The SonicWALL® E-Class Universal Management Appliance (UMA) EM5000 centralizes policy management, monitoring and reporting for multiple SonicWALL appliances. The EM5000 provides an easier way to configure, enforce and manage policies for SonicWALL firewall, anti-spam, backup and recovery, and secure remote access solutions, enhancing efficiency, availability, and ROI. The EM5000 simplifies and automates multi-level policy management, monitoring, and compliance reporting thereby reducing overhead and freeing resources for new revenue opportunities. The UMA EM5000 is ideal for deployments scaling from a few to thousands of SonicWALL appliances or services, in small-to-mid-enterprise, large enterprise, managed service provider, or IT consulting environments. Includes: Unified policy management Comprehensive monitoring and automated alerting Intelligent reporting and activity visualization Real-time and historic next-generation syslog reporting Application traffic analytics Support for SonicWALL firewall, backup and recovery, secure remote access, and email security appliances Centralized logging for deep forensic analysis and remediation Secure, reliable and optimized hardware architecture Intuitive management dashoard Online and offline management capabilities High-availability services across multiple sites Web services, SNMP, and CLI based integration options	Purchase appliance Add additional GMS node licenses as needed using the existing GMS software SKUs Add Support Use GMS software support SKUs Use Comprehensive GMS Support SKUs Use hardware warranty SKUs Example: 60 Node Deployment SKU Description O1-SSC-7665 Quantity: 1 Universal Management Appliance EM5000 with 10 Node GMS Software License O1-SSC-3301 Quantity: 2 GMS 25 Node Software Upgrade O1-SSC-6514 Quantity: 1 O1-SSC-6514 Quantity: 1 O1-SSC-3334 GMS E-CLASS 24x7 Software Support Quantity: 2 O1-SSC-3334 GMS E-CLASS 24x7 Software Support for 10 Nodes (1 Year) O1-SSC-3334 Quantity: 2 O1-SSC-3334 Quantity: 2 O1-SSC-3334 CMS E-CLASS 24x7 Software Support for 25 Nodes (1 Year) Comments Base Hardware: comes with 10 nodes and includes one year of hardware warranty Increase node license by 50 to a total of 60 Support SKUs for the 60 software nodes provide support for the entire deployment, including the Appliance		

SonicWALL Contact Information							
Dell SonicWALL Austria	0820 400105	<u>austria@sonicwall.com</u>	Dell SonicWALL MEA	+ 971 4 609 1753	mea@sonicwall.com		
Dell SonicWALL Benelux	+ 32 3 242 88 21	benelux@sonicwall.com	Dell SonicWALL Nordic	+ 46 8 410 717 00	nordic@sonicwall.com		
Dell SonicWALL Eastern Europe	+ 48 6025 20009	easterneurope@sonicwall.com	Dell SonicWALL Portugal/Spain	+ 34 653 948 287	spain@sonicwall.com		
Dell SonicWALL Germany	+ 49 89 4545 946	germany@sonicwall.com	Dell SonicWALL Switzerland	+ 41 44 810 3135	switzerland@sonicwall.com		
Dell SonicWALL France	+ 32 11 300 609	france@sonicwall.com	Dell SonicWALL UK/Ireland	+ 44 1932573900	uk@sonicwall.com		
Dell SonicWALL Italy	+ 39 107 407 851	italy@sonicwall.com					
Channel https://partnerlink.sonicwall.com/ Authorized Distributors:							
Marketing / Sales Email: emea_partners@sonicwall.com		http://www.sonicwall.com/emea/2756.html					
Tools:							

